

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S64	1	S63 and ccxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 10:22
S114	1	parlay same (conference adj bridge)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:07
L8	1	parlay adj gateway same (translat\$3 with request)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 19:54
S74	1	(service adj node) with (call near rout\$3) same (parlay or osa)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:02
S75	1	(service adj node) with (call near rout\$3) and (parlay or osa)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:02
S69	1	(service adj node) with (call adj control) same xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 10:54
S79	1	(service adj node) same (call near rout\$3) same gateway same (telephony adj application)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:08
S109	1	(internet adj call adj wait\$3) same parlay	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 13:19
S110	1	(internet adj call adj wait\$3) and parlay	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 13:20
S100	1	(CC ADJ XML)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:43
S112	1	( call adj wait\$3) same parlay	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 13:20
L9	1	"7330721".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 20:52
S52	1	"6701366".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 14:54
S35	1	"20030177283".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:25
S34	1	"20030177281".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:25

S33	1	"20030165135".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:22
S32	1	"20030108159".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:22
S30	1	"20020194336".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:21
S28	1	"20020176404".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:20
S29	1	"20020154755".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:20
S27	1	"20020078210".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:20
S26	1	"20020026473".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:19
S60	2	scp with ccxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 17:37
S147	2	S144 and parlay	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 16:04
S144	2	S143 same parlay	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 15:57
S145	2	S143 same (routing adj requirement)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 15:58
S155	2	parlay adj gateway same http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 18:17
S76	2	(service adj node) same(call near rout\$3) and (parlay or osa)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:03
S65	2	(service adj node) same ssp same parlay	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 10:22
S2	3	S1 and ccxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 09:54
S50	4	S49 with hp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 14:49
S51	4	S49 same hp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 14:49

S97	4	parlay same ggsn	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:40
S5	4	parlay near http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 10:02
S149	4	msc same (routing adj application)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 16:12
S47	4	hp near (open adj call)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 14:48
S98	4	ccxml same wap	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:40
S38	4	(call adj control) near (extensible adj markup)	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/04/23 11:36
S95	5	parlay same sgsn	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:39
S58	5	(service adj node) and ccxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 16:56
S55	6	txml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 16:51
S140	6	S139 same ivr	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 15:02
S36	6	ccxml	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/04/23 11:33
S102	6	ccxml	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/04/24 11:45
S82	6	(service adj node) same (call near rout\$3) same gateway and ( application adj server)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:10
S104	6	(call adj control) same (extensible adj markup adj language)	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/04/24 11:49
S7	6	("20010028654"   "20040101122"   "20050080905"   "6269254"   "6647111").PN. OR ("7184534").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/23 10:08
S121	6	("20010028654"   "20040101122"   "20050080905"   "6269254"   "6647111").PN. OR ("7184534").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/24 14:14

S41	7	(call adj control) with http with (xml)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 12:43
S37	8	(call adj control) with (xml)	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/04/23 11:35
S120	9	S119 and parlay	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:12
S115	9	parlay and (conference adj bridge)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:08
S122	10	parlay same ivr	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:15
S77	10	(service adj node) with (call near rout\$3) with gateway	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:07
S80	10	(service adj node) same (call near rout\$3) same gateway same ( application)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:08
S103	10	(call adj control) same xml	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/04/24 11:46
S92	12	("5987102"   "6185288"   "6404746"   "6430175"   "6430177"   "6449260"   "6526033"   "6567398"   "6570870"   "6584093"   "6604106"   "6718015").PN. OR ("7136372").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/24 11:35
S118	13	S116 and parlay	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:11
S148	14	S143 and parlay	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 16:04
S87	14	parlay same (service adj node)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:24
S17	14	parlay adj server	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 10:27
S142	14	msc near (service adj node)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 15:47
S59	14	(service adj node) same parlay	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 17:28
S66	14	(service adj node) same parlay	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 10:23

L7	17	parlay adj gateway with request	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 19:52
S91	17	("4659877"   "5265033"   "5423003"   "5438568"   "5452350"   "5519772"   "5533115"   "5546452"   "5574782"   "5703940"   "5708780"   "5917817"   "5999610"   "6324275"   "6466570").PN. OR ("6831915").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/24 11:34
S53	17	("20020042814"   "5528677"   "5737393"   "5870464"   "6154528"   "6173437"   "6600736"   "6618477").PN. OR ("6701366").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/23 14:55
S135	18	parlay with http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:49
S93	18	osa and (service adj node)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:36
S108	19	parlay same (telephon\$1 adj application)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:54
S157	21	stp near msc	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 18:50
S128	21	parlay same scs	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:26
S130	22	parlay same (call near rout \$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:30
S61	22	(service adj node) same gateway same ssp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 10:18
S84	23	(service adj node) same gateway same ( application adj server)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:13
S126	24	S125 and vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:21
S81	26	(service adj node) same (call near rout\$3) same gateway and ( application)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:10
S4	27	(call adj control) near xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 10:01

S21	28	(parlay or osa) same (call near rout\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:03
S19	29	osa adj gateway	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:00
S137	29	ivr adj (service adj node)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:58
S152	30	gateway with (routing adj application)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 16:16
S90	30	(service adj node) with http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:31
S136	32	parlay same http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:50
S73	33	(service adj node) with (call near rout\$3) same application	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:01
L2	34	gateway near rout\$3 near request	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 19:48
S88	35	parlay and (service adj node)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:25
S94	36	parlay and sgsm	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:37
S83	36	(service adj node) same (call near rout\$3) and gateway and ( application adj server)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:10
S57	37	xml same (service adj node)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 16:53
S129	37	parlay and scs	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:28
S99	38	ccxml SAME HTTP	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:41
S151	43	execut\$3 with (routing adj application)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 16:13
S134	45	scs with http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:48
S15	45	S1 and (not (international adj business adj machines adj corporation).as.)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 10:23

S8	45	(call adj control) near (extensible adj markup)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 10:09
S6	45	(call adj control adj extensible adj markup)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 10:04
S113	47	ssp same (conference adj bridge)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:05
S154	48	msc with http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 17:51
S146	49	S143 same gateway	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 15:59
S123	50	parlay and ivr	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:17
S9	53	(call adj control) with (extensible adj markup)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 10:10
S22	62	(parlay or osa) same xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:06
S1	65	parlay adj gateway	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 09:53
S139	65	(parlay adj gateway)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 15:02
S133	66	S132 and (@ad<"20040506")	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:38
S18	67	parlay near gateway	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 10:29
S68	73	(service adj node) with (call adj control)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 10:43
S86	78	S85 and "370".clas.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:17
S3	78	ccxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 09:54
S101	78	ccxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:43
L5	86	gateway adj generat\$3 with request	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 19:49

S105	86	(call adj control) same (extensible adj markup adj language)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:49
S111	86	( call adj wait\$3) and parlay	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 13:20
S40	88	(call adj control) with http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 12:42
S45	90	(parlay or osa) same http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 13:18
S25	99	S24 and @ad< "20040506"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:15
L4	110	gateway near generat\$3 with request	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 19:49
S132	113	parlay with call	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:37
S14	115	S13 and (not (international adj business adj machines adj corporation).as.)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 10:15
S13	124	S11 and (not birch.in.)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 10:14
S12	126	S11 and (not ibm.as.)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 10:14
S11	126	(call adj control) with (xml)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 10:13
S54	131	call adj xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 16:49
S67	131	(service adj node) same (call adj control)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 10:43
S24	156	S23 and (not (international adj business adj machines adj corporation).as.)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:14
S131	185	parlay and (call near rout\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:32
S42	189	(parlay or osa) and "379". clas.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 13:15
S23	191	(parlay or osa) and "370". clas.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:14

S56	195	cxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 16:52
S106	220	gateway same (telephon\$1 adj application)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:53
S72	245	(service adj node) with (call near rout\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 10:55
S141	349	msc with (service adj node)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 15:47
S125	404	ivr with(call near rout\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:21
S20	433	(parlay or osa) same (call near rout\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 11:03
S156	435	stp with msc	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 18:50
S89	435	(service adj node) with protocol	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:31
S39	511	(call adj control) same web	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 12:42
S63	512	(service adj node) same ssp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 10:22
S116	521	voice adj xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:10
S16	598	parlay	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 10:27
S85	601	parlay	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 11:16
S124	697	ivr same (call near rout\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:20
S49	738	open adj call	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/23 14:49
S119	756	vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 14:12
S143	929	routing adj application	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 15:57

L3	1055	gateway with generat\$3 with request	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 19:49
S62	4296	(service adj node)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 10:22
S70	52498	(service adj node) with (call adj control) aand xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/04/24 10:55

4/ 24/ 2008 9:02:59 PM

C:\Documents and Settings\sgay\My Documents\ EAST\ Workspaces\ 10840157.w sp